

L Number	Hits	Search Text	DB	Time stamp
-	335	communication and system and (physical same layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol same layer) and @ad<20010709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 10:44
-	183	communication and system and (physical same layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol same layer) and @ad<20010709 and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:17
-	40	communication and system and (physical adj layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol adj layer) and @ad<20010709 and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:45
-	40	(communication same system) and communicat\$3 and (physical adj layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol adj layer) and @ad<20010709 and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:12
-	7	(communication same system) and communicat\$3 and (physical adj layer) and hardware and (communication adj channel\$3) and (control\$4 near5 (code or instruction)) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol adj layer) and @ad<20010709 and wireless and (reception or receiv\$3) and (emission or transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:57
-	2	(communication same system) and communicat\$3 and (physical adj layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol adj layer) and @ad<20010709 and wireless and (710/5.ccls. or 710/20.ccls. or 710/29.ccls. or 710/33.ccls. or 710/35.ccls. 710/36.ccls. or 710/65.ccls. or 710/69.ccls. or 712/405.ccls. or 710/7.ccls. or 709/233.ccls. or 710/107.ccls. or 710/200.ccls. or 710/244.ccls. or 709/200.ccls. 711/200.ccls. or 341/126.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:14

-	13	communication and system and (physical same layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol same layer) and @ad<20010709 and (710/5.ccls. or 710/20.ccls. or 710/29.ccls. or 710/33.ccls. or 710/35.ccls. 710/36.ccls. or 710/65.ccls. or 710/69.ccls. or 712/405.ccls. or 710/7.ccls. or 709/233.ccls. or 710/107.ccls. or 710/200.ccls. or 710/244.ccls. or 709/200.ccls. 711/200.ccls. or 341/126.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:15
-	1	communication and system and (physical same layer) and hardware and (communication same channel\$3) and control\$4 and (code or instruction) and (digital same analog) and process\$3 and unit and driver and interfac\$3 and signal and (protocol same layer) and @ad<20010709 and wireless and gsm and (710/5.ccls. or 710/20.ccls. or 710/29.ccls. or 710/33.ccls. or 710/35.ccls. 710/36.ccls. or 710/65.ccls. or 710/69.ccls. or 712/405.ccls. or 710/7.ccls. or 709/233.ccls. or 710/107.ccls. or 710/200.ccls. or 710/244.ccls. or 709/200.ccls. 711/200.ccls. or 341/126.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:17
-	0	6014705.pn. and (communication adj system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:24
-	1	6014705.pn. and (communication same system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:32
-	1	6014705.pn. and (physical adj layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:35
-	1	6014705.pn. and (control and code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:21
-	0	6014705.pn. and (layer and analog and digital and demodulate and modulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:45
-	0	6014705.pn. and (layer and analog and digital and demodulat\$3 and modulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:45
-	0	6014705.pn. and (layer and analog and digital and decod\$3 and encod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:45

-	1	6014705.pn. and (layer and analog and digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:46
-	1	6014705.pn. and (analog and digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:49
-	1	6014705.pn. and (modem same signal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:02
-	1	6014705.pn. and (microprocessor or process\$3) and unit and driver and (code or program or instruction) and protocol and layer and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:05
-	1	6014705.pn. and (microprocessor or process\$3) and unit and driver and (code or program or instruction) and protocol and layer and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:37
-	1	6014705.pn. and (storage or rom or ram or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:40
-	1	6014705.pn. and (storage or rom or ram or memory) and (physical adj layer) and configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:47
-	1	6014705.pn. and (storage or rom or ram or memory) and (physical adj layer) and configur\$5 and (code or instruction or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 17:23
-	1	6014705.pn. and (physical adj layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 17:19
-	1	6014705.pn. and (physical adj layer) and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 17:27
-	6	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709 and (modem or demodulat\$3 or modulats\$3) and register and layer\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:03
-	16	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709 and (modem or demodulat\$3 or modulats\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:18

-	20	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:20
-	2457	((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3) and ((call\$3 or request\$3) near5 (program\$5 or routine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:22
-	0	((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3) and ((call\$3 or request\$3) near5 (program\$5 or routine)) and 6014705.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:22
-	0	((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3) and ((call\$3 or request\$3) and (program\$5 or routine)) and 6014705.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:22
-	1	((instruction or code) and (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) and execut\$3) and ((call\$3 or request\$3) and (program\$5 or routine)) and 6014705.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:28
-	15	wireless and memory and (code or instruction) and configur\$5 and ((privileg\$2 or security or authentic\$5 or authori\$6) same program same execut\$3) and (physical adj layer) and @ad<20010709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:01
-	168	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or security or authentic\$5 or authori\$6 or protect\$3)) and program and execut\$3 and (physical adj layer) and @ad<20010709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:03
-	0	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or security or authentic\$5 or authori\$6 or protect\$3) same program same execut\$3 same (physical adj layer)) and @ad<20010709	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:03
-	0	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or security or authentic\$5 or authori\$6 or protect\$3) same execut\$3 same (physical adj layer)) and @ad<20010709 and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:03
-	0	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or securi\$3 or authentic\$5 or authori\$6 or protect\$3) same execut\$3 same (physical adj layer)) and @ad<20010709 and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:04
-	0	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or secur\$3 or authentic\$5 or authori\$6 or protect\$3) same execut\$3 same (physical adj layer)) and @ad<20010709 and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:04
-	12	wireless and memory and (code or instruction) and (configur\$5 same (privileg\$2 or secur\$3 or authentic\$5 or authori\$6 or protect\$3) same execut\$3) and (physical adj layer) and @ad<20010709 and program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 12:04

-	0	6014705.pn. and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:22
-	0	6014705.pn. and GSM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:17
-	0	6014705.pn. and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:22
-	0	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709 and (modem or demodulat\$3 or modulats\$3) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:54
-	1	6014705.pn. and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:17
-	10	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709 and (modem or demodulat\$3 or modulats\$3) and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:20
-	13	(communication adj system) and (memory or rom or ram or storage) and process\$3 and ((instruction or code) same (privileg\$3 or authentic\$3 or filter\$3 or authori\$6) same execut\$3 same ((call\$3 or request\$3) near5 (program\$5 or routine))) and driver and @ad<20010709 and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:20
-	1	6014705.pn. and (card same modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 17:19